

Intermediate range neutron flux detectors

Reliable detectors
designed for a long
operating life



Maintaining the safety of nuclear facilities and
maximising the lifetime value they deliver

Intermediate range neutron flux detectors

Key features

- Thermal neutron flux 2.5×10^2 nv to 2.5×10^{10} nv
- +/-1% linearity with flux
- Operating temperature 135° Celsius
- 10 year operation
- Seismically tested
- Market leading mineral Insulated cable
- On-load testing and support

Overview

Ultra Energy designs and manufactures a wide range of Neutron Flux Detectors (NFDs) for reactor safety systems, including those designed for equivalent 'fit form function' replacement of existing NFDs connected directly to your protection systems.

Our highly experienced design and technical specialists are based in our centre of manufacturing excellence for NFDs located within our principle site in the United Kingdom. This centre also provides single-site gamma and neutron generator testing, significantly reducing time to test, manufacture and deliver. Our design and manufacture capability are proven in the most difficult of environments, with our detectors having been operational in reactor cores for decades.

Whether it's supplying standard products or working together on updating a design to meet your needs, Ultra's collaborative approach to programmes and delivery will ensure you receive the systems you need, when you need them.

Maintaining the safety of nuclear facilities and maximising the lifetime value they deliver

Specifications

Type	Boron coated
Thermal neutron flux	2.5×10^2 nv to 2.5×10^{10} nv
Neutron sensitivity	7.6×10^{-14} A/nv
Operating gamma flux	10 R/hr to 5×10^5 R/hr
Operating voltage DC	400 - 600V
Linearity	+/- 1% of flux
Response time	50ms (after 20% change in thermal neutron flux)
Material	Aluminium
Cable	Triaxial alumina mineral insulated
Diameter	Maximum 6 inches
Length	Up to 3 feet



Maintaining the safety of nuclear facilities and
maximising the lifetime value they deliver

About Ultra Energy

Organisations working with nuclear technologies have a responsibility to safeguard people, the environment and infrastructure. We provide solutions that give our customers complete, long-term protection and control of safety critical systems, while helping them increase the net value derived from nuclear facilities over their total lifespan.

Part of Curtiss-Wright, Ultra Energy has worked with nuclear customers for over 60 years. We're embedded in strategic national infrastructure and helping organisations develop future nuclear applications. We support continuous operation of nuclear sites with protection and control solutions that monitor and manage factors such as radiation, neutrons, temperature and pressure within safety critical systems.

United Kingdom

Innovation House
Lancaster Road
Ferndown Industrial Estate
Wimborne
Dorset BH21 7SQ
UK

Tel: +44 (0) 1202 850 450

United States of America

707 Jeffrey Way
Round Rock
Texas 78680-0300
USA

Tel: +1 512-434-2800

For more information

Web: ultraelectronicsenergy.com
Email: info@ultra-ncs.com

