

# 25X bare wire Noble metal element thermocouple



## Overview

A high temperature Noble metal thermocouple, elements are provided to match the ITS 1990 curve. 24 gauge (0.020") wire is standard with other gauges available. Spools of bare platinum wire are also available.



# Technical specification

Feature	Description
Model number	253R, 252S, 255B, 257C - no insulator provided
Sensor type	High temperature Noble metal
ANSI calibration	R, S, B, C
Accuracy	Standard limits of error, special limits of error (reference grade)
Number of circuits	1
Termination	Bare strip
Accessory	Insulator in alumina, mullite or hafnia

## United States of America

707 Jeffrey Way  
Round Rock  
Texas 78665-2408  
USA

Tel: +1 512-434-2800

## United Kingdom

Innovation House  
Lancaster Road  
Ferndown Industrial Estate  
Wimborne  
Dorset BH21 7SQ  
UK

Tel: +44 (0) 1202 850 450

For more information

Web: [cwic.curtisswright.com](http://cwic.curtisswright.com)

Email: [sales@nspi.curtisswright.com](mailto:sales@nspi.curtisswright.com)

## About Curtiss-Wright

Curtiss-Wright Round Rock and Wimborne have worked with nuclear and industrial customers for over 60 years. We support customers across the world from facilities located in the US and UK. Our solutions are embedded in strategic national infrastructure and our people are active partners in customer programs that are focused on delivering advanced future nuclear and industrial capabilities.

Curtiss-Wright Corporation (NYSE: CW) is a global integrated business that provides highly engineered products, solutions and services mainly to Aerospace & Defense markets, as well as critical technologies in demanding commercial power, process and industrial markets. We leverage a workforce of approximately 8,600 highly skilled employees who develop, design and build what we believe are the best engineered solutions to the markets we serve. Building on the heritage of Glenn Curtiss and the Wright brothers, Curtiss-Wright has a long tradition of providing innovative solutions through trusted customer relationships.