

# 2XXY base metal insulated element thermocouple




## Overview

Base metal thermocouples. Insulators are made of ceramics and they are oval and round. Termination is bare strip. Twisted and welded junction is standard, butt welded optional. Available in Type K, N, J and 8, 14, 20 gauge are standard sizes. Other types and gauges available upon request.



# Technical specification

Feature	Description
Model number	2-Gauge-Type, ie 208K
Wire gauge	8, 14, and 20 gauge are standard, with others available upon request
Insulator material	Ceramic (steatite, corderite, mullite) oval and round available, 1" and 3" long
Junction	Twisted and welded is standard, with butt welded also available
ANSI calibration	K, J and N
Accuracy	Standard Limits of error, ie K, N and J special Limits of error KSL, NSL and JSL
Number of circuits	1, 2
Termination	Standard bare strip 2", with color coded sleeve optional
Accessories	Single and dual terminal block     Hot junction cup (HJC)





### **United States of America**

707 Jeffrey Way Round Rock Texas 78665-2408 USA

Tel: +1 512-434-2800

# **United Kingdom**

Innovation House
Lancaster Road
Ferndown Industrial Estate
Wimborne
Dorset BH21 7SQ
UK

Tel: +44 (0) 1202 850 450

For more information

Web: <u>cwic.curtisswright.com</u>

Email: <a href="mailto:sales@nspi.curtisswright.com">sales@nspi.curtisswright.com</a>

### **About Curtiss-Wright**

Curtiss-Wright Round Rock and Wimborne have worked with nuclear and industrial customers for over 60 years. We support customers across the world from facilities located in the US and UK. Our solutions are embedded in strategic national infrastructure and our people are active partners in customer programs that are focused on delivering advanced future nuclear and industrial capabilities.

Curtiss-Wright Corporation (NYSE: CW) is a global integrated business that provides highly engineered products, solutions and services mainly to Aerospace & Defense markets, as well as critical technologies in demanding commercial power, process and industrial markets. We leverage a workforce of approximately 8,600 highly skilled employees who develop, design and build what we believe are the best engineered solutions to the markets we serve. Building on the heritage of Glenn Curtiss and the Wright brothers, Curtiss-Wright has a long tradition of providing innovative solutions through trusted customer relationships.

